

APC PM6U-UK Surge Protection (6 outlets, 5V, 2.4A 2 port USB charger, 230V)

PRD-202607-0041 · APC · Specification Sheet

Brand	APC
Model / MPN	PM6U-UK
Reference price	MYR 289.00 (reference only)

APC PM6U-UK Surge Protection

6 outlets, 5V | 2.4A 2 port USB charger | 230V

Warranty

- 2 year APC Manufacturer Limited Warranty

SPECIFICATIONS

Model	PM6U-UK	
Output	Number of Outlets 6.0 Receptacle Style UK BS1363 plug	
Input	Nominal Input Voltage 230V Input frequency 50 Hz +/- 5 Hz Input Connections British BS1363A Cord Length 2meters Number of Power Cords 1 Maximum Input Current 13.0A	
Surge Protection and Filtering	Surge energy rating 1836Joules Peak Current Common Mode 48kAmps Peak Current Normal Mode 24kAmps	
Physical	Maximum Height 62mm, 6.2CM Maximum Width 272mm, 27.2CM Maximum Depth 110mm, 11.0CM Net Weight 0.81KG Shipping weight 0.93KG Shipping Height 310mm, 31.0CM Shipping Width 165mm, 16.5CM Shipping Depth 65mm, 6.5CM Color White Master Carton Dimensions (Length x Width x Height) 416 x 330 x 356mm Master Carton Units 12.0 Master Carton Weight 9.72 Units per Pallet 192.0 SCC Codes 1073130431365 3	
Environmental	Operating Temperature 0 - 40 °C Operating Relative Humidity 0 - 90 % Operating Elevation 0-3000meters Storage Temperature -5 - 40 °C Storage Relative Humidity 0 - 95% no % Storage Elevation 0-4500meters	
Conformance	Approvals CE Equipment protection policy Lifetime : \$50000 Standard warranty Lifetime (European Union countries only)	
Sustainable Offer Status	RoHS Compliant REACH REACH: Contains No SVHCs	

