

# APC PMH63VT-UK Surge Protection (6 outlets, Phone and Coax, 230V)

PRD-202607-0043 · APC · Specification Sheet

Brand	APC
Model / MPN	PMH63VT-UK
Reference price	MYR 289.00 (reference only)

## APC PMH63VT-UK Surge Protection

**6 outlets | Phone and Coax | 230V**

---

**Warranty**  
- 2 year APC Manufacturer Limited Warranty

**SPECIFICATIONS**

<b>Model</b>	PMH63VT-UK
<b>Output</b>	Number of Outlets 6.0 Receptacle Style UK BS1363 plug
<b>Input</b>	Nominal Input Voltage 230V Input frequency 50 Hz +/- 5 Hz Input Connections British BS1363A Cord Length 3meters Number of Power Cords 1 Maximum Input Current 13.0A
<b>Surge Protection and Filtering</b>	Surge energy rating 1836Joules Data Line Protection RJ-11 Modem/Fax protection, Coaxial cable for CATV/SATV/modem/Audio-Video (coax connector) Peak Current Common Mode 48kAmps Peak Current Normal Mode 24kAmps
<b>Physical</b>	Maximum Height 61mm, 6.17CM Maximum Width 271mm, 27.15CM Maximum Depth 110mm, 11.03CM Net Weight 0.9KG Shipping weight 1.02KG Shipping Height 310mm, 31.0CM Shipping Width 165mm, 16.5CM Shipping Depth 65mm, 6.5CM Color White Master Carton Dimensions (Length x Width x Height) 416 x 330 x 356mm Master Carton Units 12.0 Master Carton Weight 12.81 Units per Pallet 192.0 SCC Codes 1073130431401 8
<b>Environmental</b>	Operating Temperature 0 - 40 °C Operating Relative Humidity 0 - 90 % Operating Elevation 0-3000meters Storage Temperature -5 - 40 °C Storage Relative Humidity 0 - 95% no % Storage Elevation 0-4500meters
<b>Conformance</b>	Approvals CE Equipment protection policy Lifetime : 75000 Euros Standard warranty Lifetime (European Union countries only)
<b>Sustainable Offer</b>	RoHS Compliant

