

APC Back-UPS 625VA, 230V, AVR, Floor, Universal Sockets (BX625CI-MS)

PRD-202607-0044 · APC · Specification Sheet

Brand	APC
Model / MPN	BX625CI-MS
Reference price	MYR 477.00 (reference only)

APC Back-UPS 625VA, 230V, AVR, Floor, Universal Sockets (BX625CI-MS)

325 Watts / 625 VA | Nominal Voltage 230 | (3) Universal Receptacle Output Connections | IEC-320 C14 Input Connections

Warranty
- 2 year Manufacturer Limited Warranty ([APC Service Center](#))

Specifications

Specifications	
Model	BX625CI-MS
Output	<p>Output Power Capacity: 325 Watts / 625 VA</p> <p>Max Configurable Power: 325 Watts / 625 VA</p> <p>Nominal Output Voltage: 230V</p> <p>Efficiency at Full Load: 65.3%</p> <p>Topology: Standby</p> <p>Waveform Type: Square wave</p> <p>Output Connections: (3) Universal Receptacle (Battery Backup)</p> <p>Efficiency at Half Load: 75.8%</p>
Input	<p>Nominal Input Voltage: 230V</p> <p>Input Frequency: 45 - 65 Hz</p> <p>Input Connections: IEC-320 C14</p> <p>Cord Length: 1.22 meters</p> <p>Input voltage range for main operations: 151 - 299V</p> <p>Maximum Input Current: 3A</p> <p>Input Breaker Capacity: 7 A</p> <p>Type of Input Protection Required: 3-pole breaker</p>
Batteries & Runtime	<p>Battery Type: Maintenance-free sealed Lead-Acid battery with suspended electrolyte : leakproof</p> <p>Included Battery Modules: 1</p> <p>Typical recharge time: 6 hour(s)</p> <p>Extended Run Options: APC Back-UPS 625VA, 230V, AVR, Floor, Universal Sockets</p>
Surge Protection and Filtering	Surge energy rating: 273 Joules
Physical	<p>Maximum Height: 278.00 mm</p> <p>Maximum Width: 160.00 mm</p> <p>Maximum Depth: 88.00 mm</p> <p>Net Weight: 5.00 KG</p> <p>Shipping Weight: 5.20 KG</p> <p>Shipping Height: 399.00 mm</p> <p>Shipping Width: 215.00 mm</p> <p>Shipping Depth: 128.00 mm</p> <p>Master Carton Units: 1.00</p> <p>Color: Black</p> <p>SCC Codes: 1073130430817 8</p> <p>Units per Pallet: 48.00</p>
Environmental	<p>Operating Environment: 0 - 40 °C</p> <p>Operating Relative Humidity: 0 - 95%</p> <p>Storage Temperature: -15 - 40 °C</p> <p>Storage Relative Humidity: 0 - 95%</p>

