

APC Back-UPS 500, 230V (BK500EI)

PRD-202607-0048 · APC · Specification Sheet

Brand	APC
Model / MPN	BK500EI
Reference price	MYR 857.00 (reference only)

APC Back-UPS 500, 230V (BK500EI)

300 Watts, 500 VA | Input & Output voltage 230V

Warranty

- 2 years Manufacturer Limited Warranty

Specifications

Specifications	
Model	BK500EI
Output	<p>Output Power Capacity:300 Watts / 500 VA</p> <p>Max Configurable Power:300 Watts / 500 VA</p> <p>Nominal Output Voltage:230V</p> <p>Output Frequency (sync to mains):47 - 63 Hz</p> <p>Topology:Standby</p> <p>Waveform Type:Stepped approximation to a sine wave</p> <p>Output Connections: (1) IEC 320 C13 (Surge Protection) IEC 320 C13 (3) IEC 320 C13 (Battery Backup) IEC 320 C13 (2) IEC Jumpers (Surge Protection)</p>
Input	<p>Nominal Input Voltage:230V</p> <p>Input Frequency:50/60 Hz +/- 3 Hz (auto sensing)</p> <p>Input Connections:IEC-320-C14 inlet</p> <p>Cord Length:1.83 meters</p> <p>Input voltage range for main operations:180 - 266V</p> <p>Input voltage adjustable range for mains operation:160 - 300V</p> <p>Maximum Input Current:7A</p> <p>Input Breaker Capacity:7.0 A</p>
Batteries & Runtime	<p>Battery Type: Maintenance-free sealed Lead-Acid battery with suspended electrolyte : leakproof</p> <p>Replacement Battery:RBC2</p> <p>RBC™ Quantity:1</p>
Communications & Management	<p>Interface Port(s):USB</p> <p>Control panel: LED status display with On Line : On Battery : Replace Battery and Overload indicators</p> <p>Audible Alarm: Alarm when on battery : distinctive low battery alarm : overload continuous tone alarm</p>
Surge Protection and Filtering	<p>Surge energy rating:310 Joules</p> <p>Filtering: Full time multi-pole noise filtering : 5% IEEE surge let-through : zero clamping response time : meets UL 1449</p> <p>Data Line Protection: Analog phone line for phone/fax/modem/DSL (RJ-45 connector)</p>
Physical	<p>Maximum Height:165.00 mm</p> <p>Maximum Width:91.00 mm</p> <p>Maximum Depth:284.00 mm</p> <p>Net Weight:6.32 KG</p> <p>Shipping Weight:7.05 KG</p> <p>Shipping Height:178.00 mm</p> <p>Shipping Width:241.00 mm</p> <p>Shipping Depth:368.00 mm</p> <p>Master Carton Units:2.00</p> <p>Color:Beige</p>

